

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	209	lottery near game and network and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 10:51
S2	51	(380/251).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/10 13:33
S3	13	S2 and lottery	US-PGPUB; USPAT	OR	ON	2005/01/06 10:55
S8	19	("4,527,798" "4,832,341" "5,042,809" "5,456,465" "5,507,489" "5,524,035" "5,551,692" "5,569,082" "5,709,603" "5,855,369" "5,879,234" "5,938,200" "6,030,288" "6,033,308" "6,044,135" "6,080,062" "6,099,408" "6,165,072" "6,183,361").pn.	US-PGPUB; USPAT	OR	ON	2005/01/06 11:04
S10	18	("4,157,829" "5,282,620" "5,286,023" "5,380,007" "5,398,932" "5,505,449" "5,674,128" "5,797,794" "5,800,269" "6,089,982" "6,146,272" "6,168,521" "6,264,557" "6,277,026" "6,280,328" "6,322,446" "6,325,716" "6,331,143").pn.	US-PGPUB; USPAT	OR	ON	2005/01/06 12:11
S11	7	("20010003098" "20010003100" "20010036853" "20010046891" "20020002076" "20020006821" "20020010015").pn.	US-PGPUB; USPAT	OR	ON	2005/01/06 11:05
S12	44	("4,157,829" "5,282,620" "5,286,023" "5,380,007" "5,398,932" "5,505,449" "5,674,128" "5,797,794" "5,800,269" "6,089,982" "6,146,272" "6,168,521" "6,264,557" "6,277,026" "6,280,328" "6,322,446" "6,325,716" "6,331,143" "4,527,798" "4,832,341" "5,042,809" "5,456,465" "5,507,489" "5,524,035" "5,551,692" "5,569,082" "5,709,603" "5,855,369" "5,879,234" "5,938,200" "6,030,288" "6,033,308" "6,044,135" "6,080,062" "6,099,408" "6,165,072" "6,183,361" "20010003098" "20010003100" "20010036853" "20010046891" "20020002076" "20020006821" "20020010015").pn.	US-PGPUB; USPAT	OR	ON	2005/01/11 11:10
S13	0	S12 and playfile	US-PGPUB; USPAT	OR	ON	2005/01/06 12:22
S14	0	S12 and evaluator	US-PGPUB; USPAT	OR	ON	2005/01/06 12:23
S15	395	sca.as.	US-PGPUB; USPAT	OR	ON	2005/01/06 12:45

Abstract

S16	0	sca.as. and lottery	US-PGPUB; USPAT	OR	ON	2005/01/06 12:44
S17	0	"sca promotions".as.	US-PGPUB; USPAT	OR	ON	2005/01/06 12:45
S18	0	"sca promotions, inc.".as.	US-PGPUB; USPAT	OR	ON	2005/01/06 12:45
S19	0	hamman-robert\$.in.	US-PGPUB; USPAT	OR	ON	2005/01/06 14:38
S20	161	hamman.in.	US-PGPUB; USPAT	OR	ON	2005/01/14 10:57
S21	0	hamman-robert\$.in.	US-PGPUB; USPAT	OR	ON	2005/01/06 14:38
S22	19	westerlage-kenneth\$.in.	US-PGPUB; USPAT	OR	ON	2005/01/06 14:44
S23	0	sca-services.as.	US-PGPUB; USPAT	OR	ON	2005/01/06 14:44
S24	1	"sca services".as.	US-PGPUB; USPAT	OR	ON	2005/01/06 14:45
S25	44	("4,157,829" "5,282,620" "5,286,023" "5,380,007" "5,398,932" "5,505,449" "5,674,128" "5,797,794" "5,800,269" "6,089,982" "6,146,272" "6,168,521" "6,264,557" "6,277,026" "6,280,328" "6,322,446" "6,325,716" "6,331,143" "4,527,798" "4,832,341" "5,042,809" "5,456,465" "5,507,489" "5,524,035" "5,551,692" "5,569,082" "5,709,603" "5,855,369" "5,879,234" "5,938,200" "6,030,288" "6,033,308" "6,044,135" "6,080,062" "6,099,408" "6,165,072" "6,183,361" "20010003098" "20010003100" "20010036853" "20010046891" "20020002076" "20020006821" "20020010015").pn.	US-PGPUB; USPAT	OR	ON	2005/01/06 16:24
S26	7	S25 and seed	US-PGPUB; USPAT	OR	ON	2005/01/06 16:24
S27	4	S25 and seed and encryp\$6	US-PGPUB; USPAT	OR	ON	2005/01/06 17:08
S28	0	S25 and winning near3 algorithm	US-PGPUB; USPAT	OR	ON	2005/01/06 16:34
S29	4	S25 and number near3 algorithm	US-PGPUB; USPAT	OR	ON	2005/01/06 16:34
S30	51	(380/251).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 17:08
S32	6	S30 and seed	US-PGPUB; USPAT	OR	ON	2005/01/06 17:09

KW IC

KW IC

S33	1013	seed same weather	US-PGPUB; USPAT	OR	ON	2005/01/06 17:09
S34	57	seed same weather same environment\$4 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:10
S35	4	seed same weather and random adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:11
S36	87	seed same (environment\$4 or weather) and random adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:11
S37	59	seed same (environment\$4 or weather) same random adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:17
S39	21	seed same (environment\$4 or weather) same random adj number and @ad<"20010701" and weather	US-PGPUB; USPAT	OR	ON	2005/01/06 17:18
S40	3	seed same (environment\$4 or weather) same random adj number and @ad<"20010701" and weather NOT silverbrook.in.	US-PGPUB; USPAT	OR	ON	2005/01/06 17:18
S41	0	seed same lottery near2 data and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:36
S42	0	seed same lottery near2 data	US-PGPUB; USPAT	OR	ON	2005/01/06 17:35
S43	18	seed same lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:36
S44	24	random adj number same lottery near2 data and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:36
S45	32	lottery near (data or result) same random and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 17:57
S46	31	lottery same random with probability and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/06 18:53
S47	2853	lottery NOT random adj number adj generator	US-PGPUB; USPAT	OR	ON	2005/01/07 12:20
S48	1849	lottery NOT (random adj number adj generator) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 12:20
S49	227	lottery and probability NOT (random adj number adj generator) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 12:20
S50	161	lottery and probability NOT (random adj number adj generator) and @ad<"20010701" and (network or terminal or internet)	US-PGPUB; USPAT	OR	ON	2005/01/07 12:21
S51	128	lottery and probability NOT (random adj number adj generator) and @ad<"20010701" and (network or internet)	US-PGPUB; USPAT	OR	ON	2005/01/07 12:47

KWIC

KWIC

KWIC

S52	13	lottery and probability NOT (random adj number adj generator) and @ad<"20010701" and (network or internet) and number adj play	US-PGPUB; USPAT	OR	ON	2005/01/07 13:05
S53	3	lottery and winning adj number adj algorithm	US-PGPUB; USPAT	OR	ON	2005/01/07 13:39
S54	0	number adj generate with lottery adj (result or data) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 16:13
S55	0	number adj generate with (lottery near2 (result or data)) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 13:41
S56	0	number adj generate with (lottery near2 (result or data))	US-PGPUB; USPAT	OR	ON	2005/01/07 13:41
S57	26	number adj generat\$4 with (lottery near2 (result or data))	US-PGPUB; USPAT	OR	ON	2005/01/07 13:42
S58	27	number near generat\$4 with (lottery near2 (result or data))	US-PGPUB; USPAT	OR	ON	2005/01/07 14:03
S59	1	(lottery near2 (result or data)) near algorithm	US-PGPUB; USPAT	OR	ON	2005/01/07 14:04
S60	6	(lottery near2 (result or data)) with algorithm	US-PGPUB; USPAT	OR	ON	2005/01/07 16:13
S61	37	lottery adj number same event and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 14:26
S62	16	generat\$4 adj lottery adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 14:29
S63	1	generat\$4 adj win\$6 with lottery adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 14:32
S64	0	generat\$4 adj win\$6 with published adj lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 14:33
S65	0	generat\$4 adj win\$6 with (publish\$4 or public) near2 lottery adj (result or data) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 14:33

KWIC

KWIC

KWIC

S66	44	("4,157,829" "5,282,620" "5,286,023" "5,380,007" "5,398,932" "5,505,449" "5,674,128" "5,797,794" "5,800,269" "6,089,982" "6,146,272" "6,168,521" "6,264,557" "6,277,026" "6,280,328" "6,322,446" "6,325,716" "6,331,143" "4,527,798" "4,832,341" "5,042,809" "5,456,465" "5,507,489" "5,524,035" "5,551,692" "5,569,082" "5,709,603" "5,855,369" "5,879,234" "5,938,200" "6,030,288" "6,033,308" "6,044,135" "6,080,062" "6,099,408" "6,165,072" "6,183,361" "20010003098" "20010003100" "20010036853" "20010046891" "20020002076" "20020006821" "20020010015").pn.	US-PGPUB; USPAT	OR	ON	2005/01/07 14:41
S68	23	S66 and (published or public)	US-PGPUB; USPAT	OR	ON	2005/01/07 14:37
S69	0	biased adj random adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 15:47
S70	1	biased adj true adj random adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 15:47
S71	2	biased near2 random adj number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 16:09
S72	0	determin\$4 adj4 from adj2 lottery adj results	US-PGPUB; USPAT	OR	ON	2005/01/07 16:10
S73	0	determin\$4 adj4 from adj2 lottery near2 results	US-PGPUB; USPAT	OR	ON	2005/01/07 16:12
S75	0	determin\$4 adj4 from adj2 lotto near2 results	US-PGPUB; USPAT	OR	ON	2005/01/07 16:12
S76	0	number adj generate with lotto adj (result or data) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 16:13
S77	0	(lotto near2 (result or data)) with algorithm	US-PGPUB; USPAT	OR	ON	2005/01/07 16:13
S79	665	lotto	US-PGPUB; USPAT	OR	ON	2005/01/07 16:13
S80	472	lotto and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 16:13
S81	78	lotto and @ad<"20010701" and generat\$4 adj2 number	US-PGPUB; USPAT	OR	ON	2005/01/07 16:14
S82	8	lotto with generat\$4 adj2 number and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 16:18
S83	0	seed adj2 generat\$4 adj3 (lottery or lotto) adj (result or data)	US-PGPUB; USPAT	OR	ON	2005/01/07 16:19
S84	0	seed with generat\$4 near3 (lottery or lotto) near (result or data)	US-PGPUB; USPAT	OR	ON	2005/01/07 16:31

KWIK

S85	0	random adj source near2 comprise near2 lottery	US-PGPUB; USPAT	OR	ON	2005/01/07 16:44
S86	4	S66 and lottery adj (result or data)	US-PGPUB; USPAT	OR	ON	2005/01/07 16:44
S87	0	prevent\$4 adj (lottery or lotto) adj2 estimation	US-PGPUB; USPAT	OR	ON	2005/01/07 16:59
S88	0	prevent\$4 adj (lottery or lotto) adj2 guess\$4	US-PGPUB; USPAT	OR	ON	2005/01/07 16:59
S89	0	prevent\$4 adj (lottery or lotto) adj2 cheat\$4	US-PGPUB; USPAT	OR	ON	2005/01/07 17:00
S90	0	prevent\$4 with (lottery or lotto) adj2 cheat\$4	US-PGPUB; USPAT	OR	ON	2005/01/07 17:00
S91	0	prevent\$4 with (lottery or lotto) near2 cheat\$4	US-PGPUB; USPAT	OR	ON	2005/01/07 17:01
S92	199	prevent\$4 with (lottery or lotto)	US-PGPUB; USPAT	OR	ON	2005/01/07 17:01
S93	142	prevent\$4 with (lottery or lotto) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 17:02
S94	25	prevent\$4 adj2 (lottery or lotto) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 17:02
S95	2	winning adj number adj algorithm and lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 18:02
S96	45	lottery with algorithm and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/07 18:29
S97	1	"5,157,602".pn.	US-PGPUB; USPAT	OR	ON	2005/01/07 18:29
S98	1	"4722554".pn.	US-PGPUB; USPAT	OR	ON	2005/01/07 19:02
S99	0	virtual adj lottery and winning adj2 algorithm and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/10 10:35
S10 0	0	virtual near2 lottery and winning near2 algorithm and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/10 10:35
S10 1	0	virtual near2 lottery and winning near2 algorithm	US-PGPUB; USPAT	OR	ON	2005/01/10 10:35
S10 2	3	computer near2 lottery and winning near2 algorithm	US-PGPUB; USPAT	OR	ON	2005/01/10 10:36
S10 3	3	virtual near2 lottery and algorithm	US-PGPUB; USPAT	OR	ON	2005/01/10 10:37
S10 4	36	network near2 lottery and algorithm	US-PGPUB; USPAT	OR	ON	2005/01/10 10:38
S10 5	18	network near2 lottery and algorithm and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/10 10:41
S10 6	99	game and algorithm with seed and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/10 10:42

KwIC

KwIC

KwIC

S107	68	encrypt\$4 with extractor	US-PGPUB; USPAT	OR	ON	2005/01/10 13:01	
S108	44	encrypt\$4 with extractor and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/10 13:02	
S109	11	encrypt\$4 with extractor and @ad<"20010701" and (game or lottery or lotto)	US-PGPUB; USPAT	OR	ON	2005/01/10 13:02	KWIC
S110	51	(380/251).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/10 13:33	
S111	31	S110 and (encryp\$6 or decryp\$6)	US-PGPUB; USPAT	OR	ON	2005/01/10 14:47	
S112	101	(previous or last) adj record near3 key	US-PGPUB; USPAT	OR	ON	2005/01/10 14:47	
S113	90	(previous or last) adj record near3 key and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 10:49	KWIC
S114	56	(previous or last) adj record near3 key and @ad<"20010701" NOT deaton.in. NOT bayless.in.	US-PGPUB; USPAT	OR	ON	2005/01/11 10:49	
S115	44	("4,157,829" "5,282,620" "5,286,023" "5,380,007" "5,398,932" "5,505,449" "5,674,128" "5,797,794" "5,800,269" "6,089,982" "6,146,272" "6,168,521" "6,264,557" "6,277,026" "6,280,328" "6,322,446" "6,325,716" "6,331,143" "4,527,798" "4,832,341" "5,042,809" "5,456,465" "5,507,489" "5,524,035" "5,551,692" "5,569,082" "5,709,603" "5,855,369" "5,879,234" "5,938,200" "6,030,288" "6,033,308" "6,044,135" "6,080,062" "6,099,408" "6,165,072" "6,183,361" "20010003098" "20010003100" "20010036853" "20010046891" "20020002076" "20020006821" "20020010015").pn.	US-PGPUB; USPAT	OR	ON	2005/01/11 11:10	
S116	23	S115 and (encryp\$6 or decryp\$6)	US-PGPUB; USPAT	OR	ON	2005/01/11 11:11	
S117	0	S115 and ((encryp\$6 or decryp\$6) with (previous or last))	US-PGPUB; USPAT	OR	ON	2005/01/11 11:12	
S118	8	S115 and ((encryp\$6 or decryp\$6) with key)	US-PGPUB; USPAT	OR	ON	2005/01/11 11:12	KWIC
S119	1	"4713787".pn.	US-PGPUB; USPAT	OR	ON	2005/01/11 12:21	
S120	0	key adj2 for with next adj2 (record or file or number)	US-PGPUB; USPAT	OR	ON	2005/01/11 13:51	
S121	0	key adj2 for with last adj2 (record or file or number)	US-PGPUB; USPAT	OR	ON	2005/01/11 13:51	

S12 2	3328	encryp\$6 with layer\$4	US-PGPUB; USPAT	OR	ON	2005/01/11 13:52
S12 3	10	encryp\$6 with layering and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:16
S12 4	3	key adj layering and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:21
S12 5	507	encrypt adj key	US-PGPUB; USPAT	OR	ON	2005/01/11 14:21
S12 6	118	encrypt adj key with (record or message or data or file) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:23
S12 9	0	decrypt adj next adj key and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:23
S13 0	0	decrypt adj other adj key and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:23
S13 1	0	decrypt adj other adj key	US-PGPUB; USPAT	OR	ON	2005/01/11 14:23
S13 2	0	decrypt adj next adj key	US-PGPUB; USPAT	OR	ON	2005/01/11 14:23
S13 3	0	decrypt adj (previous prior last) adj key	US-PGPUB; USPAT	OR	ON	2005/01/11 14:24
S13 4	0	encrypt adj (previous prior last) adj key	US-PGPUB; USPAT	OR	ON	2005/01/11 14:24
S13 5	1	key adj layering	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:25
S13 6	89	(send or transmit) adj encrypt\$4 adj key	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:26
S13 7	12	(send or transmit) adj encrypted adj key	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:26
S13 8	76	(send or transmit) adj encrypted adj key	US-PGPUB; USPAT	OR	ON	2005/01/11 14:26
S13 9	34	(send or transmit) adj encrypted adj key and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:43
S14 0	773	current adj ((encryption adj key) or key) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:44
S14 1	0	decrypt adj2 current adj ((encryption adj key) or key) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 14:44
S14 2	38	decrypt\$4 with current adj ((encryption adj key) or key) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 15:35
S14 3	1282	(463/16-17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 15:35

KWIC

KWIC

S14 4	447	(463/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 15:36
S14 5	202	S144 and (distributed or network or station) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/11 15:36
S14 6	174	S144 and (distributed or network or station) and @ad<"20010701" and computer	US-PGPUB; USPAT	OR	ON	2005/01/11 15:37
S14 7	146	S144 and (distributed or network) and @ad<"20010701" and computer	US-PGPUB; USPAT	OR	ON	2005/01/11 15:41
S14 8	44	S144 and (distributed or network) and @ad<"20010701" and computer and (encrypt\$6 or decrypt\$6 or crypt\$6)	US-PGPUB; USPAT	OR	ON	2005/01/12 17:42
S14 9	1	"5,119,295".pn.	US-PGPUB; USPAT	OR	ON	2005/01/11 16:04
S15 0	984	authentication with value with key	US-PGPUB; USPAT	OR	ON	2005/01/12 10:39
S15 1	87	authentication with value with key and lottery	US-PGPUB; USPAT	OR	ON	2005/01/12 10:38
S15 2	25	authentication with value with key and lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 10:38
S15 3	4	authentication with value with key and lottery and @ad<"20010701" NOT silverbrook.in.	US-PGPUB; USPAT	OR	ON	2005/01/12 10:38
S15 4	449	authentication with value with key and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 10:39
S15 5	255	authentication and lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 11:01
S15 6	447	(463/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 11:01
S15 7	26	authentication and S156 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:57
S15 8	163	authentication and verification and @ad<"20010701" and lottery	US-PGPUB; USPAT	OR	ON	2005/01/12 12:11
S15 9	81	authentication with verification and @ad<"20010701" and lottery	US-PGPUB; USPAT	OR	ON	2005/01/12 12:11
S16 0	10	authentication with verification same lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:11
S16 1	447	(463/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 12:15
S16 2	31	authentica\$6 and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:49

KWIC
+
Pictures
KWIC

KWIC

Abstract

S16 3	83	verification and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:50
S16 4	25	verification near2 (data or value or number or code) and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:53
S16 5	1	authentica\$6 with stored adj (number or data) and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 13:32
S16 6	3	authentica\$6 with stored near2 (number or data) and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:55
S16 8	14	authentication same store\$4 and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:58
S16 9	15	authentica\$6 same store\$4 and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 12:58
S17 0	160	authentica\$6 with stored adj (number or data) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 13:32
S17 1	13	verification with authentica\$6 with stored adj (number or data) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 13:36
S17 2	9	compare with authentica\$6 with stored adj (number or data) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 13:36
S17 3	37	S161 and number adj plays and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 13:43
S17 4	153	authentica\$4 with previously adj stored and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 16:12
S17 5	1	authentica\$4 with previously adj stored adj (value or number) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 16:12
S17 6	16	authentica\$4 with previously adj stored near2 (value or number) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 16:12
S17 7	136	verification with previously adj stored and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 16:38
S17 8	10	verification with previously adj stored near2 (value or number) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:51
S17 9	0	S161 and extractor	US-PGPUB; USPAT	OR	ON	2005/01/12 17:06
S18 0	0	S161 and decryption adj program	US-PGPUB; USPAT	OR	ON	2005/01/12 17:13
S18 1	0	S161 and decryp\$6 adj program	US-PGPUB; USPAT	OR	ON	2005/01/12 17:13
S18 2	15	S161 and decryp\$6 with message	US-PGPUB; USPAT	OR	ON	2005/01/12 17:13

KWIC

KWIC

KWIC

S18 3	8	S161 and decryp\$6 with message and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:15
S18 5	49	extractor with decryp\$6 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:16
S18 6	2	double adj encryption and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:36
S18 9	2	doubl\$4 adj encryp\$6 and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:36
S19 0	6	doubl\$4 adj encryp\$6 and lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:38
S19 1	2	doubl\$4 near2 encryp\$6 and S161 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:39
S19 2	6	doubl\$4 near2 encryp\$6 and lottery and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:39
S19 3	52	S161 and doubl\$4 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:42
S19 4	204	doubl\$2 adj encryp\$6 and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:51
S19 5	92	double adj encryption and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 17:56
S19 6	41	double adj encryption with key and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/12 18:03
S19 7	1	"5,029,207".pn.	US-PGPUB; USPAT	OR	ON	2005/01/12 18:03
S19 8	447	(463/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/12 18:21
S19 9	447	(463/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 13:01
S20 0	202	S199 and plays	US-PGPUB; USPAT	OR	OFF	2005/01/13 13:01
S20 1	122	S199 and plays and @ad<"20010701"	US-PGPUB; USPAT	OR	OFF	2005/01/13 13:01
S20 2	83	S199 and plays with (terminal or user or player) and @ad<"20010701"	US-PGPUB; USPAT	OR	OFF	2005/01/13 13:44
S20 3	1	"5551692" .pn.	US-PGPUB; USPAT	OR	OFF	2005/01/13 14:22
S20 4	1	"4722554".pn.	US-PGPUB; USPAT	OR	OFF	2005/01/13 14:50
S20 5	4	("4573681" "4684600" "4624459" "4335809").pn.	US-PGPUB; USPAT	OR	OFF	2005/01/13 14:51
S20 6	1	"5393061".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:10

KwIC

KwIC

KwIC

Abstract

Abstract

S20 7	1	"5290033".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:11
S20 8	1	"5176380".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:12
S20 9	1	"5135224".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:12
S21 0	1	"5116055".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:12
S21 1	1	"5096195".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:21
S21 2	1	"5083785".PN.	USPAT; USOCR	OR	ON	2005/01/13 18:47
S21 3	1	"5080364".PN.	USPAT; USOCR	OR	ON	2005/01/13 15:58
S21 5	0	download adj decryption adj software	USPAT; USOCR	OR	ON	2005/01/13 15:58
S21 6	0	download\$4 adj decryp\$6 adj software	USPAT; USOCR	OR	ON	2005/01/13 15:58
S21 7	1	download\$4 adj decryp\$6 adj program	USPAT; USOCR	OR	ON	2005/01/13 15:59
S21 8	1	download\$4 near2 decryp\$6 adj program	USPAT; USOCR	OR	ON	2005/01/13 15:59
S21 9	97	download\$4 near2 decryp\$6	USPAT; USOCR	OR	ON	2005/01/13 15:59
S22 0	12	download\$4 near2 decryp\$6 near software	US-PGPUB; USPAT	OR	ON	2005/01/13 16:00
S22 1	9	download\$4 adj2 decryp\$6 adj2 (software or program or code)	US-PGPUB; USPAT	OR	ON	2005/01/13 16:17
S22 2	47	receiv\$4 adj2 decryp\$6 adj2 (software or program or code) and @ad<"20010701"	US-PGPUB; USPAT	OR	ON	2005/01/13 18:45
S22 4	5	S222 and air\$8	US-PGPUB; USPAT	OR	ON	2005/01/13 18:46
S22 5	19	(S199 S200 S201 S202 S203 S204 S205 S206 S207 S208 S209 S210 S211 S212 S213 S215 S216 S217 S218 S219 S220 S221 S222) and cart	USPAT; USOCR	OR	ON	2005/01/13 18:48
S22 6	1	(S199 S200 S201 S202 S203 S204 S205 S206 S207 S208 S209 S210 S211 S212 S213 S215 S216 S217 S218 S219 S220 S221 S222) and cart and airplane	USPAT; USOCR	OR	ON	2005/01/13 18:49
S22 7	447	(463/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/14 10:57

Abstract

KwTL

S22 8	11	S227 and normaliz\$6	US-PGPUB; USPAT	OR	ON	2005/01/14 10:57
S22 9	7	lottery same normaliz\$6	US-PGPUB; USPAT	OR	ON	2005/01/14 12:31
S23 0	44	("4,157,829" "5,282,620" "5,286, 023" "5,380,007" "5,398,932" "5, 505,449" "5,674,128" "5,797,794" "5,800,269" "6,089,982" "6,146, 272" "6,168,521" "6,264,557" "6, 277,026" "6,280,328" "6,322,446" "6,325,716" "6,331,143" "4,527, 798" "4,832,341" "5,042,809" "5, 456,465" "5,507,489" "5,524,035" "5,551,692" "5,569,082" "5,709, 603" "5,855,369" "5,879,234" "5, 938,200" "6,030,288" "6,033,308" "6,044,135" "6,080,062" "6,099, 408" "6,165,072" "6,183,361" "20010003098" "20010003100" "20010036853" "20010046891" "20020002076" "20020006821" "20020010015").pn.	US-PGPUB; USPAT	OR	ON	2005/01/14 12:55
S23 1	4	S230 and (normaliz\$6 or standardiz\$6)	US-PGPUB; USPAT	OR	ON	2005/01/14 12:55

KWIC